






Esempio di applicazione in un circuito a slalom  
Example of application in a slalom system circuit  
Installation dans un circuit slalom







N°8 Fori ØN  
 N°8 Holes ØN  
 N°8 Trous ØN

Disponibile Zincata a caldo o in Acciaio Inox  
 Available in hot dipped galvanized steel or stainless steel  
 Disponible en acier galvanisé ou acier inox

DIMENSIONI INGOMBRO [mm] - OVERALL DIMENSIONS [mm] - DIMENSIONS D'ENCOMBREMENT [mm]															
Tipo Type Type	Per For Pour	ØA	B	C	D	E	G	H	L	M	ØN	P	R	U	V
PAR 100	TBM 5,5/4N	555	800	852	800	480	350	60	95	200	12	505	914	129	70
	TBM 7,5/4N	620													40
	TBM 9/4N														
PAR 150	TBM 11/4	740	900	992	940	594	440	110	230	14	545	1008	153	130	
	TBM 15/4N													70	
	TBM 18,5/4N	800												40	

ACCESSORI - ACCESSORIES - ACCESSOIRES			
Tipo Type Type		Guide aggiuntive ad "U" Additional rails guide "U" Rail supplémentaire "U"	Guide aggiuntive a "Z" Additional rails guide "Z" Rail supplémentaire "Z"
			
PAR 100 / PAR 150	Inox - Stainless steel - Acier inox	GU	GZ
PAR 100Z / PAR 150Z	Zincata - Galvanized - Galvanisée	GU-Z	GZ-Z

